

# Table of Contents

---

<i>List of Tables</i> .....	<i>vii</i>
<i>List of Figures</i> .....	<i>x</i>
<i>List of Appendices</i> .....	<i>xiii</i>
<i>Glossary</i> .....	<i>xiv</i>
Executive Summary .....	1
Section 1: Background and Purpose .....	1
1.1 Incremental Recycled Water Program (IRWP).....	1
1.1.1 IRWP Overview .....	1
1.1.2 IRWP Implementation.....	2
1.2 Discharge Compliance Project.....	2
1.2.1 Project Need and Objectives as Adopted by City Council and Board of Public Utilities.....	2
Primary Project Objectives .....	3
Supporting Project Objectives .....	3
1.2.2 Project Overview .....	4
1.2.2.1 Use of this Document .....	4
1.2.2.2 Work Plan Overview .....	5
1.2.3 Existing Facilities .....	8
1.2.3.1 Indoor Water Conservation .....	8
1.2.3.2 Industrial Waste Pretreatment .....	9
1.2.3.3 Sewage Collection System .....	9
1.2.3.4 Santa Rosa Subregional Water Reclamation Facility (Laguna Plant) .....	9
1.2.3.5 Recycled Water Storage .....	9
1.2.3.6 Recycled Water Disposal and Reuse .....	10
1.2.3.7 Biosolids Disposal.....	10
1.2.3.8 Existing Geysers Conveyance System.....	11
Section 2: Recycled-Water Flow Projections.....	12
2.1 Recycled Water Production from the Subregional Water Reclamation System .....	13
2.2 Laguna Storage.....	15
2.3 Use of Recycled Water: Model Features.....	16
2.3.1 Laguna Irrigation.....	16
2.3.2 Geysers Delivery .....	17
2.3.3 Agricultural Irrigation and Storage Deliveries via the Geysers Pipeline .....	17
2.3.4 Urban Reuse .....	18

Table of Contents (cont'd)

---

2.3.5	Agriculture East of Rohnert Park .....	18
2.4	Model Applications .....	19
Section 3:	Regulatory Compliance Requirements .....	21
3.1	General .....	21
3.2	NPDES Permit Requirements .....	22
3.2.1	General .....	22
3.2.2	California Toxics Rule (CTR) Compliance.....	23
3.2.3	Nutrient TMDL .....	24
3.2.4	Temperature and Dissolved Oxygen Compliance Requirements .....	25
3.3	NPDES Compliance Strategies.....	27
3.3.1	General .....	27
3.3.2	Source Control.....	27
3.3.3	Advanced Membrane Treatment.....	28
3.3.4	Metals Translators.....	29
3.3.5	Water Effects Ratio.....	30
3.3.6	Mixing Zones .....	30
3.4	Strategies for T&O Compliance.....	31
Section 4:	Facilities Description .....	32
4.1	Introduction .....	32
4.2	Direct Discharge Relocation Facilities.....	33
4.2.1	Introduction.....	33
4.2.2	Riverbank Outfalls .....	33
4.2.2.1	Riprap Channel Riverbank Outfall .....	34
4.2.2.2	Concrete Chute Riverbank Outfall .....	34
4.2.2.3	Advantages and Disadvantages of Riverbank Outfalls.....	35
4.2.3	In-River Diffusers.....	35
4.2.3.1	Typical In-River Diffuser Installation .....	36
4.2.3.2	Microtunnel In-River Diffuser Installation .....	37
4.2.3.3	Bridge Pier In-River Diffuser Installation.....	37
4.2.3.4	Advantages and Disadvantages of In-River Diffusers.....	38
4.2.4	In-Bed and In-Bank Diffusers .....	38
4.2.4.1	In-Bed Diffusers .....	38
4.2.4.2	In-Bank Diffusers .....	39
4.2.4.3	Advantages and Disadvantages of In-Bed and In-Bank Diffusers .....	39
4.3	Indirect Discharge Relocation Facilities .....	41
4.3.1	Introduction.....	41
4.3.2	Percolation Ponds .....	41
4.3.2.1	Percolation Pond Configuration .....	42

Table of Contents (cont'd)

---

4.3.2.2	Operation and Maintenance .....	42
4.3.2.3	Construction.....	43
4.3.2.4	Percolation Rates and Groundwater Mounding .....	43
4.3.2.5	Advantages and Disadvantages .....	44
4.3.3	Infiltration Basins .....	44
4.3.3.1	Infiltration Basin Configuration .....	44
4.3.3.2	Advantages and Disadvantages .....	45
4.3.4	Injection Wells .....	46
4.3.4.1	Injection Well Configuration .....	46
4.3.4.2	Operation and Maintenance .....	46
4.3.4.3	Construction.....	48
4.3.4.4	Advantages and Disadvantages .....	48
4.3.5	Pressurized Leach Systems .....	48
4.3.5.1	Pressurized Leach System Configuration and Construction.....	48
4.3.5.2	Operation and Maintenance .....	49
4.3.5.3	Advantages and Disadvantages .....	50
4.4	Temperature and Oxygen Facilities .....	50
4.4.1	Temperature Treatment.....	50
4.4.1.1	Cooling Towers.....	50
4.4.2	Treatment for Dissolved Oxygen .....	51
4.4.2.1	Mechanical Treatment .....	52
4.4.2.2	Passive Treatment.....	52
4.5	Summary of Facilities .....	53
Section 5:	Analysis of Direct Discharge to Russian River .....	55
5.1	Methodology.....	55
5.2	Exclusionary Screening Criteria .....	56
5.2.1	Minimum Site Acreage .....	56
5.2.2	River Channel Stability .....	57
5.3	Preferential Screening Criteria .....	57
5.3.1	Initial Screening Criteria .....	58
5.3.1.1	Mixing Zone Requirements .....	58
5.3.1.2	Proximity to Existing Wells.....	58
5.3.2	Engineering Criteria.....	59
5.3.2.1	Reliability .....	59
5.3.2.2	Flexibility .....	60
5.3.2.3	Floodplain .....	60
5.3.2.4	Liquefaction Potential .....	60
5.3.2.5	Seismic Stability.....	61
5.3.2.6	Constructability .....	61
5.3.2.7	River Navigation Impacts.....	61

Table of Contents (cont'd)

---

	5.3.2.8	Proximity to Future Recycled Water Customers .....	62
	5.3.3	Logistics Criteria .....	62
	5.3.3.1	Discharge Permitting .....	62
	5.3.3.2	Construction Permitting.....	62
	5.3.3.3	Property Acquisition .....	64
	5.3.3.4	Schedule Compliance .....	64
	5.3.4	Cost Criteria.....	65
	5.3.4.1	Facility Construction Cost .....	65
	5.3.4.2	Operations and Maintenance Cost .....	65
5.4		Analysis and Conclusions .....	65
5.5		Candidate Sites .....	68
	5.5.1	Site D1 – Lower Russian River at Forestville .....	68
	5.5.2	Site D2 – South of Windsor .....	72
	5.5.3	Site D3 – Highway 101 Bridge.....	72
	5.5.4	Site D4 – Alexander Valley Road Bridge.....	73
Section 6:		Analysis of Indirect Discharge .....	74
6.1		Methodology.....	74
6.2		Exclusionary Screening Criteria .....	75
	6.2.1	Alluvium Suitability.....	75
	6.2.2	Municipal Well Source Areas.....	76
	6.2.3	Minimum Site Acreage .....	76
6.3		Preferential Screening Criteria .....	77
	6.3.1	Initial Screening Criteria .....	77
	6.3.1.1	Alluvial Storage Capacity .....	77
	6.3.1.2	Depth to Groundwater .....	77
	6.3.1.3	Permeability .....	78
	6.3.1.4	Discharge Zone Size.....	78
	6.3.1.5	Subsurface Travel Distance.....	78
	6.3.2	Constructability Criteria .....	79
	6.3.2.1	Reliability .....	79
	6.3.2.2	Flexibility .....	79
	6.3.2.3	Floodplain .....	79
	6.3.2.4	Liquefaction Potential .....	80
	6.3.2.5	Seismic Stability.....	80
	6.3.2.6	Constructability .....	80
	6.3.2.7	Proximity to Existing Wells.....	81
	6.3.2.8	Proximity to Future Recycled Water Customers .....	81
	6.3.2.9	Soil Infiltration Capacity .....	81
	6.3.2.10	Soil pH .....	82
	6.3.2.11	Alluvial Spill Point .....	82

Table of Contents (cont'd)

---

6.3.3	Logistics Criteria .....	82
6.3.3.1	Discharge Permitting .....	82
6.3.3.2	Construction Permitting.....	83
6.3.3.3	Property Acquisition.....	84
6.3.3.4	Schedule Compliance.....	84
6.3.4	Cost Criteria.....	85
6.3.4.1	Facilities Construction Cost .....	85
6.3.4.2	Operations and Maintenance Cost .....	85
6.4	Analysis and Conclusions .....	85
6.5	Candidate Sites.....	89
6.5.1	Site I1 – West Soda Rock Lane.....	89
6.5.2	Site I2 – East Alexander Valley .....	89
6.5.3	Site I3 – West Alexander Valley .....	90
6.5.4	Site I4 – Asti .....	91
Section 7:	Conveyance System Analysis .....	92
7.1	Methodology.....	92
7.2	Discharge Operating Scenarios .....	92
7.3	Conveyance System Improvements.....	93
7.3.1	Proposed Turnouts for Discharge Sites.....	94
7.3.2	Proposed Pump Stations.....	96
7.3.3	Proposed Pipelines.....	97
7.3.3.1	Pipeline Alignments to Discharge Site D1 – Lower Russian River at Forestville .....	98
7.3.3.2	Pipeline Alignments to Discharge Site D2 – South of Windsor .....	99
7.3.3.3	Pipeline Alignment to Discharge Site D3 – Highway 101 Site.....	100
7.3.3.4	Pipeline Alignment to Discharge Site D4 – Alexander Valley Road Bridge.....	100
7.3.3.5	Pipeline Alignment to Discharge Site I1 – West Soda Rock Lane .....	100
7.3.3.6	Pipeline Alignment to Discharge Site I2 – East Alexander Valley.....	100
7.3.3.7	Pipeline Alignments to Discharge Site I3 – West Alexander Valley.....	100
7.3.3.8	Pipeline Alignments to Discharge Site I4 – Asti.....	101
7.3.3.9	Pipeline Alignments to T&O Sites.....	101
7.4	Site Evaluation Criteria.....	101
7.4.1	Exclusionary Criteria.....	102
7.4.2	Preferential Criteria.....	102
7.4.2.1	Engineering.....	102
7.4.2.2	Logistics.....	105

Table of Contents (cont'd)

---

7.4.2.3	Cost .....	108
7.5	Analysis and Conclusions .....	108
7.5.1	Direct Discharge Site D1 – Lower Russian River at Forestville .....	109
7.5.1.1	Pipeline Alignments .....	109
7.5.1.2	Pumping Required .....	112
7.5.2	Direct Discharge Site D2 – South of Windsor.....	114
7.5.2.1	Pipeline Alignments .....	114
7.5.2.2	Pumping Required .....	114
7.5.3	Direct Discharge Site D3 - Highway 101 Bridge.....	115
7.5.3.1	Pipeline Alignments .....	115
7.5.3.2	Pumping Required .....	115
7.5.4	Direct Discharge Site D4 – Alexander Valley Road Bridge .....	116
7.5.4.1	Pipeline Alignments .....	116
7.5.4.2	Pumping Required .....	117
7.5.5	Indirect Discharge Site I1 – West Soda Rock Lane.....	118
7.5.5.1	Pipeline Alignments .....	118
7.5.5.2	Pumping Required .....	118
7.5.6	Indirect Discharge Site I2 – East Alexander Valley .....	118
7.5.6.1	Pipeline Alignments .....	118
7.5.6.2	Pumping Required .....	119
7.5.7	Indirect Discharge Site I3 – West Alexander Valley .....	119
7.5.7.1	Pipeline Alignments .....	119
7.5.7.2	Pumping Required .....	120
7.5.8	Indirect Discharge Site I4 – Asti .....	120
7.5.8.1	Pipeline Alignments .....	120
7.5.8.2	Pumping Required .....	120
7.6	Comparison of Pump Station Sites .....	121
Section 8:	Alternatives Development .....	123
8.1	Overview .....	123
8.2	Discharge Flows and Quantities.....	124
8.3	Estimates of Capital Costs .....	129
8.4	Descriptions of Example Alternatives.....	130
8.4.1	Alternative 1 – Laguna Discharge Preservation and Enhancement .....	131
8.4.1.1	Description.....	131
8.4.1.2	Engineering.....	131
8.4.1.3	Logistics.....	132
8.4.2	Alternative 2 - Direct Discharge Relocation.....	132
8.4.2.1	Description.....	132
8.4.2.2	Engineering.....	132
8.4.2.3	Logistics.....	132

## Table of Contents (cont'd)

---

8.4.2.4	Sub-alternative 2a, Direct Discharge to Lower Russian River near Forestville .....	133
8.4.2.5	Sub-alternative 2b, Direct Discharge to Middle Russian River South of Windsor .....	133
8.4.2.6	Sub-alternative 2c, Direct Discharge to Middle Russian River near Healdsburg .....	134
8.4.2.7	Sub-alternative 2d, Direct Discharge to Upper Russian River near Alexander Valley Road Bridge .....	134
8.4.3	Combination Alternative 3 - Combination of Laguna Discharge Preservation and Enhancement with Direct Discharge Relocation .....	134
8.4.4	Combination Alternative 4 - Combination of Laguna Discharge Preservation and Enhancement with Indirect Discharge Relocation .....	135
8.4.5	Combination Alternative 5 - Combination of Laguna Discharge Preservation and Enhancement with Direct and Indirect Discharge Relocation.....	135
8.4.6	Combination Alternative 6 - Combination of Direct and Indirect Discharge Relocation.....	135
<i>References</i> .....		140

## List of Tables

---

Table ES-1	Facilities and Capital Cost Summary for Alternatives and Combinations (detailed descriptions in Section 8)
Table 2.1-1	Seasonal (May through October) Average Dry Weather Flow
Table 2.1-2	Actual and Modeled Recycled Water Production: 1990-99
Table 2.3-1	Monthly Evapotranspiration (ET) Rates Incorporated in the Water Balance Model
Table 2.3-2	Monthly Geysers Delivery Rate
Table 2.3-3	Monthly North County Storage Demand by Percentage
Table 2.3-4	Monthly Urban Reuse Demand by Volume
Table 2.3-5	Monthly Rohnert Park Agriculture Irrigation Evapotranspiration Rates
Table 2.4-1	WBM Output Discharge Flows and Volumes
Table 3.2-1	Interim and Final Effluent Limitations for Priority Pollutants
Table 3.2-2	Interim and Final Effluent Limitations for Nutrients
Table 3.2-3	Water-Temperature Numeric Objectives from Proposed Basin Plan Amendment
Table 4.5-1	Summary of Advantages and Disadvantages of Facilities
Table 5.1-1	Direct Discharge Siting Criteria
Table 5.3-1	Potentially Applicable Federal, State, Regional, County, and City Permits and Approvals, Direct Discharge Sites
Table 5.4-1	Results of Direct Discharge Initial Preferential Screening

## Table of Contents (cont'd)

---

Table 5.4-2	Results of Direct Discharge Preferential Screening
Table 6.1-1	Indirect Discharge Siting Criteria
Table 6.3-1	Potentially Applicable Federal, State, Regional, and County Permits and Approvals, Indirect Discharge Sites
Table 6.4-1	Results of Indirect Discharge Preferential Screening
Table 7.2-1	Peak Conveyance Flows for Discharge Operating Scenarios
Table 7.4-1	Site Evaluation Criteria
Table 7.4-2	Greenhouse Gas Emissions
Table 7.4-3	Potentially Applicable Federal, State, Regional, County, and City Permits and Approvals, Conveyance
Table 7.5-1	Comparison of Site D1 Pipeline Alignments
Table 7.5-2	Comparison of Alignment Options along Guerneville Road
Table 7.5-3	Comparison of Alignment Options along River Road
Table 7.5-4	Comparison of Alignment Options along Trenton Road
Table 7.5-5	Comparison of Alignment Options along River Road between Slusser and Trenton
Table 7.5-6	Comparison of Alignment Options along Trenton Road East of Laguna Road
Table 7.5-7	Comparison of Alignment Options along River Road
Table 7.5-8	Booster Pump Station Facility Requirements for Direct Discharge Site D1 at 80-mgd Scenario with the River Road Alignment
Table 7.5-9	Booster Pump Station Facility Requirements for Direct Discharge Site D1 with Indirect Discharge
Table 7.5-10	Comparison of Site D2 Pipeline Alignments
Table 7.5-11	Booster Pump Station Facility Requirements for Direct Discharge Site D2 at 80-mgd Scenario
Table 7.5-12	Booster Pump Station Facility Requirements for Direct Discharge Site D2 with Indirect Discharge
Table 7.5-13	Booster Pump Station Facility Requirements for Direct Discharge Site D3 at 80-mgd Scenario
Table 7.5-14	Booster Pump Station Facility Requirements for Direct Discharge Site D3 with Indirect Discharge
Table 7.5-15	Summary of Site D4 Pipeline Alignment
Table 7.5-16	Booster Pump Station Facility Requirements for Direct Discharge Site D4 at 80-mgd Scenario
Table 7.5-17	Booster Pump Station Facility Requirements for Direct Discharge Site D4 with Indirect Discharge
Table 7.5-18	Summary of Site I1 Pipeline Alignment
Table 7.5-19	Summary of Site I2 Pipeline Alignment
Table 7.5-20	Summary of Site I3 Pipeline Alignments
Table 7.5-21	Lateral Pump Station Facility Requirements for Indirect Discharge Site I3
Table 7.5-22	Summary of Site I4 Pipeline Alignments
Table 7.5-23	Lateral Pump Station Facility Requirements for Indirect Discharge Site I4 – Asti
Table 7.6-1	Comparison of Pump Station Sites
Table 8.1-1	Maximum Wet-Weather Daily Flows for Alternatives and Combinations Alternatives (Facilities Sizing Criteria)

## Table of Contents (cont'd)

---

Table 8.2-1	Median-Year Annual Discharge Volumes (2,400 MG) for Alternatives and Combination Alternatives, Rectangular Indirect Discharge Sites (Linear Indirect Discharge Sites)
Table 8.2-2	Driest-Year Annual Discharge Volumes (1,600 MG) for Alternatives and Combination Alternatives, Rectangular Indirect Discharge Sites (Linear Indirect Discharge Sites)
Table 8.2-3	Wettest-Year Annual Discharge Volumes (4,500 MG) for Alternatives and Combination Alternatives, Rectangular Indirect Discharge Sites (Linear Indirect Discharge Sites)
Table 8.4-1	Facilities and Capital Costs for Alternatives and Combinations

## Table of Contents (cont'd)

---

### List of Figures

---

<b>Figure No.</b>	<b>Title</b>
ES-1	Conceptual Representation of Direct Discharge Riverbank Outfalls
ES-2	Conceptual Representation of Direct Discharge Diffusers
ES-3	Conceptual Representation of Indirect Discharge - Percolation Ponds and Infiltration Basins
ES-4	Conceptual Representation of Indirect Discharge - Injection Wells and Pressurized Leach Fields
ES-5	Post-Analysis Candidate Discharge Facility Sites and Potential Conveyance Systems
ES-6	Wettest Discharge Year Alternative and Combinations Summary and Associated Estimated Capital Costs
1.1-1	Adopted Master Plan
1.2-1	Discharge Compliance Project – Implementation Schedule
1.2-2	Existing Subregional System
1.2-3	Existing Facilities
2.1-1	Measured and Modeled Monthly Average Recycled Water Production
2.2-1	Storage Envelope as Defined by Daily Nominal Upper and Lower Active Volume
4.2-1	Riprap Channel River Bank Outfall as Shown in IRWP Master Plan
4.2-2	Concrete Chute River Bank Outfall Plan and Section
4.2-3	In-River Diffuser
4.2-4	In-River Diffuser Profile
4.2-5	In-River Diffuser Using Microtunneling
4.2-6	In-River Diffuser Plan and Section Suspended from Bridge Piers
4.2-7	Installation Locations for In-Bed and In-Bank Discharge Pipe Options
4.2-8	In-Bed Diffuser Discharge Pipe Profile Natural Alluvium
4.2-9	In-Bed Diffuser Discharge Pipe Plan Engineered Backfill
4.2-10	In-Bank Diffuser Plan
4.2-11	In-Bank Diffuser Section

## Table of Contents (cont'd)

---

<b>Figure No.</b>	<b>Title</b>
4.3-1	5 MGD Percolation Pond Conceptual Plan
4.3-2	5 MGD Percolation Pond Conceptual Section View A-A'
4.3-3	5 MGD Infiltration Basin Site Conceptual Plan
4.3-4	5 MGD Infiltration Basin Conceptual Section View A-A'
4.3-5	5 MGD Injection Well Field Conceptual Plan
4.3-6	5 MGD Linear Injection Wells Conceptual Plan
4.3-7	Injection Well Details
4.3-8	5 MGD Pressurized Leach Field Conceptual Plan
4.3-9	5 MGD Pressurized Leach Field Typical Trench Section
4.4-1	69 MGD Cooling Requirement for Existing Temperature Permit Requirements - Plan
4.4-2	69 MGD Cooling Requirement for Existing Temperature Permit Requirements - Elevation
5.4-1	Direct Discharge Siting Exclusionary Criteria Area
5.4-2	Direct Discharge Sites Remaining After Application of Exclusionary Criteria
5.4-3	Direct Discharge Sites Remaining After Application of Initial Preferential Criteria
5.4-4	Direct Discharge Candidate Sites
5.4-5	Direct Discharge Candidate Site D1
5.4-6	Direct Discharge Candidate Site D2
5.4-7	Direct Discharge Candidate Site D3
5.4-8	Direct Discharge Candidate Site D4
6.4-1	Indirect Discharge Siting Exclusionary Criteria Area
6.4-2	Indirect Discharge Sites Remaining After Application of Initial Preferential Criteria
6.4-3	Indirect Discharge Candidate Sites
6.4-4	Indirect Discharge Candidate Site I1
6.4-5	Indirect Discharge Candidate Site I2
6.4-6	Indirect Discharge Candidate Site I3
6.4-7	Indirect Discharge Candidate Site I4
7.3-1	Conveyance System Southern Section Project Area

## Table of Contents (cont'd)

---

<b>Figure No.</b>	<b>Title</b>
7.3-2	Conveyance System Northern Section Project Area
7.3-3	Small Pump Station Site Plan
7.3-4	Large Pump Station Site Plan
7.3-5	Conveyance System and Pipeline Segments Southern Section Project Area
7.3-6	Conveyance System and Pipeline Segments Middle Section Project Area
7.3-7	Conveyance System and Pipeline Segments Northern Section Project Area
7.3-8	Pipeline Construction Zones
7.3-9	Pipeline Construction Zones
8.4-1	Median Discharge Year Alternative and Combinations Summary
8.4-2	Driest Discharge Year Alternative and Combinations Summary
8.4-3	Wettest Discharge Year Alternative and Combinations Summary and Associated Estimated Costs
8.4-4	Alternative 1 - Laguna Discharge Preservation and Enhancement
8.4-5	Alternative 2a - Direct Discharge to Lower Russian River
8.4-6	Alternative 2b - Direct Discharge to Middle Russian River Near Windsor
8.4-7	Alternative 2c - Direct Discharge to Middle Russian River Near Healdsburg
8.4-8	Alternative 2d - Direct Discharge to Upper Russian River
8.4-9	Alternative 3a - Combination of Laguna Discharge Preservation and Enhancement with Direct Discharge Relocation
8.4-10	Alternative 3b - Combination of Laguna Discharge Preservation and Enhancement with Direct Discharge Relocation
8.4-11	Alternative 4a - Combination of Laguna Discharge Preservation and Enhancement with Indirect Discharge Relocation
8.4-12	Alternative 4b - Combination of Laguna Discharge Preservation and Enhancement with Indirect Discharge Relocation
8.4-13	Alternative 5a - Combination of Laguna Discharge Preservation and Enhancement with Direct and Indirect Discharge Relocation
8.4-14	Alternative 5b - Combination of Laguna Discharge Preservation and Enhancement with Direct and Indirect Discharge Relocation
8.4-15	Alternative 6a - Combination of Direct and Indirect Discharge Relocation
8.4-16	Alternative 6b - Combination of Direct and Indirect Discharge Relocation

## Table of Contents (cont'd)

---

<b>Figure No.</b>	<b>Title</b>
8.4-17	Alternative 6c - Combination of Direct and Indirect Discharge Relocation
B-1	Pump Station Site A
B-2	Pump Station Site B
B-3	Pump Station Site C
B-4	Pump Station Site D
B-5	Pump Station Site E
B-6	Pump Station Site F
B-7	Pump Station Site G
B-8	Pump Station Site H
B-9	Pump Station Site I
B-10	Pump Station Site J
B-11	Pump Station Site K
B-12	Pump Station Site L
B-13	Pump Station Site M
B-14	Pump Station Site N

## List of Appendices

---

- A Purpose and Need for the Incremental Recycled Water Program
- B Potential Pump Station and Temperature and Oxygen Sites
- C Conveyance Route and Pump Station Analysis Matrices